

ROOF REPLACEMENT

GALESBURG AUGUSTA HS
1076 N 37th ST
GALESBURG, MI
49053

DESIGN TEAM

ARCHITECT/ENGINEER



242 E. KALAMAZOO AVE, SUITE 100
KALAMAZOO, MICHIGAN 49007
PHONE: 269.343.6133
FAX: 269.343.6633

CONSTRUCTION MANAGER



211 EAST WATER STEET ST. 201
KALAMAZOO, MICHIGAN 49007
PHONE: 269.910.1347

DRAWING INDEX

GENERAL

G 002 TYPICAL SYMBOLS AND REFERENCES, ABBREVIATIONS, AND DEVICE
ALIGNMENT GUIDELINES

ARCHITECTURAL

A 101 ROOF PLAN - ASPHALT SHINGLE ROOF PLANS AND DTLs

ISSUED FOR

DATE

PROJECT TITLE

ROOF REPLACEMENT

OWNER

GALESBURG
AUGUSTA HS

SITE ADDRESS

1076 N 37th ST
GALESBURG, MI

SHEET TITLE

COVER SHEET 30x42

OWNER ADDRESS



GALESBURG-AUGUSTA COMMUNITY
SCHOOLS
1076 NORTH 37TH STREET
GALESBURG, MICHIGAN



ARCHITECTURAL
NAME OF LICENSEE
STAMP

DATE

JULY 1, 2026

SHEET NUMBER

G 001

PROJECT NUMBER

25-168.020


ALL SHEETS INTENDED FOR COLOR PLOT. VERIFY BLACK-
AND-WHITE PLOT FOR INFORMATION INTEGRITY

LIST OF ABBREVIATIONS

ACP	ACOUSTICAL PANEL CEILING
AFF	ABOVE FINISH FLOOR
ALUM	ALUMINUM
ANOD	ANODIZED
CFMF	COLD FORMED METAL FRAMING
CMU	CONCRETE MASONRY UNIT
CONC	CONCRETE
DCMU	DECORATIVE CONCRETE MASONRY UNIT
EFS	EXTERIOR INSULATION AND FINISH SYSTEM
FE	FIRE EXTINGUISHER
FEC	FIRE EXTINGUISHER CABINET
FRT	FIRE RESISTANT TREATED
FV	FIELD VERIFY
GYP BD	GYP SUM BOARD
HM	HOLLOW METAL
LVL	LAMINATED VENEER LUMBER
MCM	METAL COMPOSITE MATERIAL WALL PANEL
OC	ON CENTER
PT	PRESERVATIVE TREATED
PNT	PAINT
SS	STAINLESS STEEL
SSM	SOLID SURFACE MATERIAL
TYP	TYPICAL
VIF	VERIFY IN FIELD
WD	WOOD


TYPICAL SYMBOLS AND REFERENCES

ROOM IDENTIFICATION TAG




NOTE:
ROOM NAMES AND NUMBERS ON PLANS ARE FOR CONSTRUCTION PURPOSES ONLY. COORDINATE WITH OWNER REGARDING PROPOSED NUMBERS FOR ALL SIGNAGE, SCHEDULE AND PANEL DESIGNATIONS.

DETAIL TITLE




UNIT MATCHLINES




TYPICAL NOTATION SYMBOLS


PLAN DETAIL REFERENCE CALLOUT




DETAIL REFERENCE CALLOUT




EXTERIOR ELEVATION CALLOUT




BUILDING SECTION CALLOUT



INTERIOR ELEVATION CALLOUT



FRAME ELEVATION CALLOUT



ELEVATION AND SECTION REFERENCE SYMBOLS

ELEVATION TAG - EXISTING



ELEVATION TAG FOR EXTERIOR ELEVATIONS AND BUILDING SECTIONS



ELEVATION TAG FOR FLOOR PLANS AND REFLECTED CEILING PLANS

ELEVATION TAG - NEW




ELEVATION TAG FOR EXTERIOR ELEVATIONS AND BUILDING SECTIONS





ELEVATION TAG FOR FLOOR PLANS AND REFLECTED CEILING PLANS

WORKING POINT LAYOUT TAG



BORROWED LIGHT AND DOOR IDENTIFICATION



SYMBOLS

REVISION IDENTIFIER (ADDENDUM, BULLETIN, RF, AS, ETC.)

COLUMN BUBBLE AND LINE

EXISTING COLUMN BUBBLE AND LINE

BARRIER-FREE

60" DIAMETER TURNING RADIUS

52"x30" CLEAR FLOOR SPACE

60" DIAMETER TURNING RADIUS - EXISTING BUILDINGS

48"x30" CLEAR FLOOR SPACE - EXISTING BUILDINGS

ISSUED FOR DATE

PROJECT TITLE
ROOF REPLACEMENT

OWNER
GALESBURG
AUGUSTA HS

SITE ADDRESS
1076 N 37th ST
GALESBURG, MI

SEAL

PRELIMINARY
NOT FOR CONSTRUCTION

SHEET TITLE
TYPICAL SYMBOLS
AND REFERENCES,
ABBREVIATIONS,
AND DEVICE
ALIGNMENT
GUIDELINES

DATE
JULY 1, 2026
SHEET NUMBER

G 002
PROJECT NUMBER
25-168.020

ALL SHEETS INTENDED FOR COLOR PLOT. VERIFY BLACK- AND WHITE PLOT FOR INFORMATION INTEGRITY

GENERAL NOTES - ARCHITECTURAL - DEMOLITION


- CONTRACTORS ARE REQUIRED TO INSPECT/REVIEW THE EXISTING BUILDING PRIOR TO RELATED DEMOLITION WORK. UNLESS NOTED OTHERWISE, REMOVAL OF ANY WALL, FLOOR OR CEILING INCLUDES ALL GENERAL MECHANICAL AND ELECTRICAL ITEMS WHICH ARE A PART OF, OR ATTACHED TO IT.
- CONTRACTOR SHALL VERIFY ALL EXISTING JOB SITE CONDITIONS AND DIMENSIONS AND BE RESPONSIBLE FOR THE SAME. ADVISE CONSTRUCTION MANAGER OF ANY AND ALL DISCREPANCIES.
- PATCH FLOORS, WALLS AND CEILINGS DAMAGED DURING CONSTRUCTION AND DEMOLITION AS REQUIRED. FINISH TO MATCH EXISTING.
- ACCOMMODATE NEW CONSTRUCTION IF NOT INDICATED.
- PROTECT ALL EXISTING FINISHES THROUGHOUT PROJECT.

GENERAL NOTES - ARCHITECTURAL - NEW CONSTRUCTION


- THE OWNER RESERVES THE RIGHT TO REMOVE ANY ITEM FROM THE PROJECT PRIOR TO COMMENCEMENT OF CONTRACTED DEMOLITION WORK.
- ALL EXISTING CONDITIONS SHOULD BE FIELD VERIFIED BEFORE WORK BEGINS.
- DIMENSIONS GIVEN ARE ACTUAL AND ARE TO THE FACE OF MASONRY UNITS OR TO THE FACE OF STUD FRAMING, UNLESS NOTED OTHERWISE.
- DETAILS SHOWN ILLUSTRATE DESIGN INTENT, NOT ALL POSSIBLE CONDITIONS. FOR CONDITIONS NOT SHOWN, USE DETAILS CLOSEST TO CONDITION IN QUESTION.
- ALL EXISTING ROOF TOP PENETRATIONS BEING REMOVED REQUIRE ROOF PATCHING TO MATCH EXISTING ADJACENT.
- AT AREAS THAT REQUIRE DEMOLITION OF ADJACENT MATERIALS OR FINISHES FOR THE INSTALLATION OF NEW WORK, THE DISTURBED ITEMS INTENDED TO BE EXISTING TO REMAIN SHALL BE PATCHED OR RESTORED TO ORIGINAL CONDITION.
- ALL EXISTING ROOF TOP PENETRATIONS BEING REMOVED REQUIRE ROOF PATCHING TO MATCH EXISTING ADJACENT.
- ALL AREAS THAT REQUIRE DEMOLITION OF ADJACENT MATERIALS OR FINISHES FOR THE INSTALLATION OF NEW WORK, THE DISTURBED ITEMS INTENDED TO BE EXISTING TO REMAIN SHALL BE PATCHED OR RESTORED TO ORIGINAL CONDITION.
- ALL ROOF AREAS INCLUDED IN THE SCOPE OF WORK ARE REQUIRED TO BE INFRARED THERMAL INSPECTION TO IDENTIFY AREAS OF COMPROMISED ROOFING SYSTEM OR MATERIAL SUCH AS INSULATED NAILER PANELS, SHEATHING AND INSULATION THAT WILL BE REQUIRED TO BE REMOVED AND REPLACED.
- ALL AREAS VISUALLY IDENTIFIED WITH DAMAGE TO SHEATHING, INSULATION AND INSULATED NAILER PANELS SHALL BE REMOVED AND REPLACE WITH NEW SYSTEM.

ROOF KEY


- | | |
|--|--|
| | ASPHALT SHINGLE ROOF REPLACEMENT AND UNDERLAYMENT: APPROX. 33,500 SQF B.O.D. - CERTAINTED LANDMARK - TO MATCH EXISTING |
| | NOT IN SCOPE |




1. TYP. DETAIL AT EAVE
3" = 1'-0"




2. TYP. ROOF DETAIL
3" = 1'-0"




3. TYP. DTL AT THRU WALL FLASHING
3" = 1'-0"




4. OVERALL ROOF PLAN
1" = 50'-0"



1. MAIN ROOF PLAN - ASPHALT
1/16" = 1'-0"



2. ROOF PLAN - ASPHALT
1/16" = 1'-0"



3. SIDE ENTRANCE ROOF PLAN - ASPHALT
1/8" = 1'-0"